RONALD A. LOHNER, M.D., F.A.C.S. RECONSTRUCTIVE SURGERY

AESTHETIC SURGERY Rosemont Business Campus 919 Conestoga Rd. Bldg 1, Suite 200 Rosemont, Pa. 19010

Phone: 610-519-0600 Fax: 610-519-1238

POST OPERATIVE CARE NIPPLE RECONSTRUCTION

Post op care:

- May remove dressing day after surgery unless instructed otherwise
- Keep wound clean and dry and apply new dressing if needed
- Leave steri-strips on the wound, do not remove. It is OK to get these wet
- Take pain medication as needed
- Take antibiotic as directed
- May shower day after surgery

What to expect:

- Swelling and bruising can occur up to 48 to 72 hours post-op. Swelling and bruising may occur in areas adjacent to area of reconstruction
- Moderate discomfort take pain medication as directed
- Constipation may occur if taking a narcotic for discomfort increase fluid intake and use mild laxative or stool softener if needed
- Numbness, tingling, and sensitivity to physical contact may persist for several weeks or longer

Follow-up:

- Follow up appointment 7-10 days post operatively
- No driving until 24 hours after stopping narcotic pain medication
- No heavy lifting, housework, or exercise until advised by Dr. Lohner to resume.
- Refrain from smoking for at least 10 days. Smoking slows healing and affects blood flow to operative area.

DO NOT HESITATE TO CALL THE OFFICE WITH ANY QUESTIONS OR CONCERNS

Pain medication:	
Antibiotic:	
Follow-up:	please call office to arrange